

# Bili

Superior Instant Filtered Water



BOILING CHILLED SPARKLING

# CONTENTS

| About Billi                    | p.03 |
|--------------------------------|------|
| Why Billi                      | p.04 |
| Billi Service                  | p.05 |
| Product Features               | p.06 |
| IWBI Membership                | p.08 |
| Environmental Focus            | p.10 |
| Billi Technology               | p.11 |
| Premium Filtration             | p.12 |
| How to choose your Billi       | p.14 |
| OmniOne                        | p.16 |
| Product Range                  | p.18 |
| Billi 3D Build                 | p.31 |
| Accessories                    | p.32 |
| On Wall & Bubbler              | p.34 |
| Touchless Washroom Systems     | p.36 |
| Technical Drawings             | p.38 |
| Warranty & Certifications      | p.40 |
| What customers say about Billi | p.42 |

XL Levered Dispenser in Matte Black finish with matching 70mm Riser & Font and Paddle Mixer Tap in Matte Black finish

# Balk

Originating in Australia, Billi has been at the forefront of the instant filtered boiling and chilled water systems industry for over 30 years. Billi products are celebrated for their combination of functionality, performance and contemporary aesthetics. Proudly Australian-made and designed, Billi products have brought a unique concept of underbench instant filtered boiling, chilled and sparkling drinking water to many countries around the globe.

Manufactured in Melbourne, Australia to strict quality standards, Billi water systems come with an assurance of quality, innovation and sustainability. Incorporating cutting edge eco-technology features and modern designs, Billi delivers solutions that keep pace with the ever-changing needs of its users.

to the highest quality standards Designed and manufactured in Australia



Synonymous with innovation, Billi prides itself on being the leading designer and manufacturer of boiling, chilled, sparkling and still filtered water systems.

With all Boiling & Chilled units manufactured in Melbourne, Australia, we are uncompromising on guality and dedicated to delivering the most reliable, high performance and stylish products on the market.

The Billi range of products include industry leading features such as water-cooled technology, space saving underbench footprints, specialty dispensers, plus a large range of models that do not require cupboard ventilation cut outs or grilles. This makes our units easy to install, energy efficient and user-friendly for all.

# **CUSTOMER FOCUS**

In every interaction with Billi, our commitment to the highest levels of customer service is evident.

Billi's unequalled aftersales care and product support, ensures that our valued relationship with our customers does not end at purchase.

Billi goes a step further with dedicated teams servicing each of our markets to ensure specialised care relevant to your requirements.

# **BILLICARE SERVICE PLANS**

BilliCare offers our customers the very best in innovation, superior performance and reliability, and support this with a world class customer service experience.

Instant filtered drinking water systems require maintenance and filter replacements to ensure optimal water quality and an ongoing high level of performance. Our commitment is to make it easy for you.

Contact your local Billi team for more information on our range of service plans.






**Billi** 

*2* 2 2 4

billi.com.au



Plumbing licenses: WA PL5415, QLD 1315239, NSW 291743C, SA PGE284004. \*Benefits will vary depending on plan chosen.

billi.com.au



(\$)

 $\bigcirc$ 

٧

(



Our Billi Customer Support team includes an Australia-wide network of trained service technicians and service agents to provide technically correct, prompt and reliable service.

For more information on our service plans, please visit our website. EXPLORE MORE Q Search: BilliCare Service





**Billi Installation** 



Refillable CO<sub>2</sub> **Filter Plan** 

- Work with a single service company nationally to simplify asset management



illit



#### SPACE SAVING DESIGN

With a focus on space saving, Billi systems have one of the smallest footprints on the market, allowing you to make the most of the valuable underbench space.



All dispensers offering boiling water are supplied standard with a safety switch to lock off access to boiling water where needed. The red lock icon demonstrates when the safety switch is activated. Simply touch the sensor switch to release the lock and activate the boiling water. The dispenser will revert to safety mode after a period of non use.



#### SPLASHFREE DELIVERY

Billi's Splashfree boiling water delivery electronically varies the water flow, slowing momentarily to eliminate splashing as the water first enters the cup.



#### ENERGY EFFICIENT

Billi's unique Heat Exchange Technology enables our systems to achieve substantial energy savings. Our units also feature a standby mode which conserves energy by powering down after 2 hours of non-use.



#### HEAT EXCHANGE TECHNOLOGY

Billi's unique heat exchange & energy reclaim technologies recovers the waste heat energy produced in the chilling process to preheat the boiling water. This allows boiling water to reach optimal temperature more efficiently while achieving substantial energy savings.



#### WATER-COOLED or AIR-COOLED TECHNOLOGY

Billi are the only manufacturer to offer both water-cooled and air-cooled options. Our water-cooled systems utilise heat exchange & energy reclaim technologies and are more energy efficient than our air-cooled systems. Billi's heat exchange technology ensures water usage is minimal. Billi's air-cooled options generate far less heat than traditional air-cooled systems.



#### NO CUPBOARD VENTILATION REQUIRED

Billi's Water Cooled systems do not require cupboard ventilation or a cooling fan and operate a lot quieter than air cooled systems.



#### ADJUSTABLE CHILLED TEMPERATURE

A simple adjustable control knob allows the chilled water temperature to be raised to 15°C or lowered to 6°C for perfectly chilled, refreshing drinks. Your desired temperature is reached quickly and maintained efficiently during operation.

**PRODUCT FEATURES** 



## ADJUSTABLE SPARKLING LEVEL

Adjust the level of sparkling to suit your taste, with adjustable controls up to 5 bar of  $\mbox{CO}_2$  pressure.



### ICE BANK TECHNOLOGY

Our Ice bank technology has a chilled reservoir where both sparkling and chilled water supply passes through. In doing so, the dispensed water temperature is consistently chilled, also providing a higher level of carbonation.



### PLUS MODELS AVAILABLE

Billi's PLUS models can function as your hot water service providing hot and cold water, as well as boiling, chilled, sparkling or still water. PLUS models also feature a boiling water reserve to

PLOS models also reature a boiling water reserve to ensure you will have a boiling water supply after the hot water supply is fully drawn. Ideal for areas without a hot water supply.



### UNLIMITED FILTERED WATER

The Billi Alpine, Sahara, Quadra and Filter Tap ranges all offer a bottomless supply of still filtered water.\*



#### ECO-INTELLIGENCE TECHNOLOGY

The Billi Eco & Sahara systems incorporates Eco-Intelligence technology which is a self learning timer allowing the unit to only operate when required. The self learning timer monitors daily usage patterns and even recognises evening and weekend changes in routine to effectively minimise energy consumption.



### CHOICE OF DISPENSER DESIGNS

The Billi range offers a variety of dispenser options including our X series and slimline dispensers in a selection of modern finishes. Site specific tapware is available, including an XL Levered dispenser with red & blue coloured levers and braille pads for vision impaired applications.



#### EASY INSTALLATION

By eliminating the need for cupboard cut outs, our units are quick, easy and safer to install. Our units also feature a self commissioning function making setup simple and efficient.



#### AUSTRALIAN DESIGNED & MADE

All Billi boiling & chilled units are designed and manufactured in Australia.



## ACCESSORIES

Billi has a range of stylish and functional accessories to match your needs including fonts, risers and tubing extension kits.

\* Safety time-out features and the required filter changes for hygiene still apply.

# **IWBI MEMBERSHIP**

In 2024, Billi will again pioneer the representation of the drinking water category by participating in the first iteration of the IWBI's 'Works with WELL' program, focusing on product certification.

The membership program at IWBI convenes, celebrates and fosters collaboration with companies and organisations who are leading the movement to advance human health in buildings and communities around the world. This dynamic framework allows Billi to tap into IWBI's expansive resources and knowledge and demonstrates Billi's alignment with IWBI's mission.



"IWBI focuses on transforming health and wellbeing with our people-first approach to buildings, organisations and communities. As an IWBI Member, Billi has been an engaged contributor to the WELL movement since 2019 and we continue to enjoy a productive and collaborative relationship between our organisations within the region."

Jack Noonan, Vice President, International WELL Building institute, Asia Pacific.

# **ABOUT IWBI**

The International WELL Building Institute (IWBI) is leading the global movement to transform our buildings and communities in ways that help people thrive.

The WELL v2 pilot is the recently launched version of its popular WELL Building Standard, which will continue to be offered to the market, along with the WELL Community Standard pilot, a district scale rating system that sets a new global benchmark for healthy communities.

WELL is focused exclusively on the ways that buildings and communities, and everything in them, can improve our comfort, drive better choices, and generally enhance, not compromise, our health and wellness.

IWBI convenes and mobilizes the wellness community through management of the WELL AP credential, the pursuit of applicable research, the development of educational resources, and advocacy for policies that promote health and wellness everywhere.

For more information about IWBI and WELL, please visit: www.wellcertified.com






# The Ultimate Hydration Pack!

- Combine water intake recommendation with visual reminder
- Environmentally friendly glass bottle

Product Code: 882032





### **Hydration Reminder Device**

- Reminds you to stay hydrated throughout the day
- Easy to attach to your bottle
- Automatically turns on when you are working nearby
- Blinks when you forget to hydrate
- Office friendly no audible alarms



#### **Glass Water Bottle**

- Large 1L capacity water bottle
- Durable borosilicate & BPA free
- Includes time indicators to achieve recommended water intake

Product Code: 882019

# **BILLI'S SUSTAINABILITY COMMITMENTS**

Unlocking a sustainable future begins with a shared commitment to the United Nations Sustainable Development Goals (SDGs) - a profound set of 17 interconnected objectives designed as a global benchmark. These goals intricately address the multifaceted challenges our world faces, setting the stage for a harmonious coexistence between people and the planet.

At Billi, we wholeheartedly embrace this global initiative by aligning our mission and practices with the UN SDGs. Our pledge is more than a commitment; it's a proactive step towards contributing to the worldwide endeavour for a more equitable, sustainable, and inclusive world.



# Our process

At Billi, sustainability and innovation stand as cornerstone principles within our operational framework. Our steadfast commitment to integrating sustainability across all aspects of our business model is evident from the outset. From the meticulous sourcing of raw materials to the thoughtful design of sustainable solutions and concluding with our rigorous recycling practices for both packaging and products, every step reflects our dedication to environmental stewardship.

#### SUSTAINABILITY IMPACT

Our sustainability journey transcends the traditional boundaries, reaching beyond the realms of manufacturing and product usage.

#### REDUCING CARBON FOOTPRINT

Our commitment to environmental responsibility is reflected in our range of water-cooled products. Certified by Global GreenTag, our water-cooled products boast a lower carbon footprint that is known & measurable.

#### WASTE REDUCTION

We recognise the urgent need to minimise all forms of waste, and to fulfill this commitment, we have forged strategic partnerships within the industry. These collaborations are designed to ensure the recyclability and re-use of materials wherever possible.

#### ENERGY SAVING

Billi's range of water-cooled products stands out for its innovative approach to sustainability. Our products possess the unique capability of converting waste heat into a valuable source of heating energy. By harnessing waste heat and turning it into a usable energy source, our water-cooled products exemplify a commitment to resourcefulness and environmental responsibility.

#### EMPOWERMENT & GOOD GOVERNANCE

Billi provides a supportive environment where our employees are not only encouraged but also empowered to embrace and promote sustainable practices in both their professional and personal lives.

#### CERTIFICATION

Our dedication to environmental responsibility is underscored by our active participation in global initiatives like Global GreenTag, Works with WELL and our ISO 9001 QMS Certification.



#### WELLBEING

We proudly hold a Cornerstone Membership with the International Well Building Institute, a testament to our dedication to setting new standards in creating environments that prioritise health and well-being.

# **BILLITECHNOLOGY**

# Certification for Sustainability

The Global Greentag certification is much coveted by global manufacturing businesses for its evidence-based approach to sustainable product certification.

Billi has been repeatedly certified and re-certified by Global Greentag since 2012, at the Gold Level of the LCARate Program and possesses and Environmental Product Declaration under EPD EN 15804.

The program is recognised by rating tools such as Greenstar® Australia and New Zealand, NZ Homestar<sup>®</sup>, LEED<sup>®</sup> and BREEAM<sup>®</sup>, IS<sup>®</sup> Rating and WELL<sup>®</sup> features, encompassing:

- Building / Product Synergy •
- Health & ecotoxicity
- Life Cycle Analysis Water
- Life Cycle Analysis Greenhouse Gas
- Corporate Social Responsibility

EXPLORE MORE Q Search: Billi GreenTag


# Billi's Sustainable Technologies

A unique industry proposition, Billi's dual technology proposition incorporates the energy efficiency and heat transfer benefits of Water Cooling, with the water efficient Heat Exchange technology.

Water is a more effective conductor of heat than air and keeps the system running at much more consistent and efficient operating temperatures. This in turn saves on energy costs and reduces your carbon footprint.

Additionally, water cooled systems D0 N0T require any fans, cross ventilation, clearance tolerances or joinery cut outs to keep the system cool.

Our Heat Exchange technology ensures waste heat is exchanged within the system to generate a viable source of heating energy and contributing to Billi's Net-Zero and Sustainable Development Goals.





# <sup>12</sup> PREMIUM FILTRATION



Billi prides itself on offering world class water filtration products and continues to partner with global leading experts in all areas of water filtration.


- Activated carbon fibre
- High level chlorine & chemical adsorption

# Billi & 🕑 BWT


Billi has partnered with BWT to provide the highest quality filters. BWT is Europe's largest water treatment products company.

Billi's range of premium filters utilise BWT's unique Fibron X technology. Fibron X technology has a graded density profile ensuring maximum performance and capacity. Billi's filter range provides superior water quality, consistent filter life and peace of mind.

- Turbidity reduction
- Chemical taste & odour reduction
- Graded density structure to remove cysts with low pressure drop (994052 only)



# Billi Premium Filtration vs Standard Filtration



# **Replacement Filters**

Periodic replacement of filters is necessary to maintain water quality. Genuine replacement Billi filters are available on our website and from your local approved supplier. Filters are also available to suit the needs of different water supply areas.

Billi recommends you change your filter at least every 12 months. Replacing your filter cartridge is simple. Solid amber dispenser icons indicate when replacement is due. The swing change filter simply swings forward and slides out. Fitting the new filter is just as easy – simply slide the filter in and swing it back. The cartridge locks into place.

All Billi genuine filters come with a digital lockout feature to ensure single use and hygiene.

For further installation instructions refer to your user guide or visit our website. EXPLORE MORE Q Search: Billi How to



o.13





Nominal Filter Rating | 0.2 Micron Filtration Capability | Sediment, Chlorine, Taste & Odour Parasitic Cysts, Lead Flow Rate | 3.8lpm Water Pressure | 80 kPa min - 860 kPa max Capacity | 30,000 litres (Chlorine reduction) Water Temperature | 38°C max; Must not freeze



Billi

Sediment Only Replacement Filter 994056

Filtration Capability | Sediment Flow Rate | 3.8lpm Water Pressure | 80 kPa min - 860 kPa max Capacity | 30,000 litres Water Temperature | 38°C max; Must not freeze

#### Luxgarde<sup>™</sup> UVC Purification Device

Filtration | UVC 268nM Flow Rate | 0.5L - 6.0L / min Water Pressure | 690kPa Water Temperature | 38deg Max; Must not freeze

# HOW TO CHOOSE YOUR BILLI


STILL

CHILLED



CHILLED

Select your preferred instant filtered water system by choosing the ideal combination to suit your requirements



STILL

Decide on the number of people that will be using the instant filtered water system

CHILLED SPARKLING



#### Select your preferred dispenser design from the compatible options



# **Optional Add Ons**





# We're more than filtered water systems

Sensor Taps





Wall Mount Sensor Tap

Bench Mount Sensor Tap

#### Sensor Soap Dispensers







Straight Sensor Soap Dispenser

Straight Sensor Tap

Wall Mount Sensor Soap Dispenser

Bench Mount Sensor Soap Dispenser



Paddle Lever Mixer Tap



70mm Riser



120mm Riser

| e environments | Water Purification                |
|----------------|-----------------------------------|
|                |                                   |
| r              | Luxgarde UVC Purification Device. |





### On Wall Boiling Water



# p.16 ALL NEW OMNIONE

# Billi OmniOne

Billi's new OmniOne range are the latest iteration of multifunction filtered drinking water appliances.

The intersection of genuine innovation and sustainable design, OmniOne integrates Billi's renowned water-cooling and energy reclaim technologies into single space-saving under bench control module.

With a 30% uplift in performance, whisper quiet in operation, ergonomic and acutely focused on the wellness & hygiene of it's users, the OmniOne range is the ultimate inclusion to the modern workplace or facility.


**OmniOne Pro60** supersedes the **Quadra Sparkling 460**. **OmniOne Plus 9** supersedes the **Quadra Sparkling Plus+ 9**.





16







## Billi Eco

Instant boiling and chilled filtered water system

FEATURES

٢ (\* 8 SPLASHFREE DELIVERY SPACE SAVING DESIGN SAFE TO OPERATE ENERGY EFFICIENT

DISPENSER OPTIONS

(XL) (XR) (SD)

| Product Code | Model | Suggested<br>no. of people | Boiling water delivery<br>(cups per hour)* | Chilled water delivery<br>(cups per hour) | Power supply<br>(amps) |
|--------------|-------|----------------------------|--|---|------------------------|
| 901000       | Eco   | Up to 10                   | 90   | 60  | 10                     |

BOILING CHILLED SPARKLING

Billi Eco Sparkling

Instant boiling, chilled and sparkling filtered water system

FEATURES

٢ • i 🕛 i a ADJUSTABLE CHILLED TEMPERATURE ADJUSTABLE SPARKLING LEVEL SAFE TO OPERATE ICE BANK TECHNOLOGY SPLASHFREE DELIVERY DISPENSER OPTIONS XL

| Product Code | Model         | Suggested no. of people | Boiling water delivery<br>(cups per hour)* | Chilled and Sparkling<br>(cups per hour) | Power supply<br>(amps) |
|--------------|---------------|-------------------------|--|--|------------------------|
| 906000       | Eco Sparkling | Up to 10                | 90   | 100                                      | 2 x 10                 |

\* Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170ml. Usage patterns and draw-off methods can impact recovery.

#### UNDERBENCH UNIT



#### UNDERBENCH UNITS





## **Billi Quadra**

Instant boiling and chilled filtered water system



| - En la on Lo                          |                        |                    |                     |                                |                       |
|--|------------------------|--------------------|---------------------|--------------------------------|-----------------------|
| $\boldsymbol{\times}$                  |                        |                    |                     | Ø                              | Ô                     |
| NO CUPBOARD<br>VENTILATION<br>REQUIRED | SPACE SAVING<br>DESIGN | SAFE TO<br>OPERATE | ENERGY<br>EFFICIENT | HEAT<br>EXCHANGE<br>TECHNOLOGY | GREENTAG<br>CERTIFIED |

# XL XT XR SD FT

| Product Code | Model          | Suggested no. of people | Boiling water delivery<br>(cups per hour)* | Chilled water delivery<br>(cups per hour) | Power supply<br>(amps) |
|--------------|----------------|-------------------------|--|---|------------------------|
| 904010       | Quadra Compact | Up to 20                | 100  | 150                                       | 10                     |
| 904020       | Quadra 420     | Up to 25                | 120  | 175                                       | 10                     |
| 904040       | Quadra 440     | Up to 40                | 150  | 175                                       | 10                     |
| 904060       | Quadra 460     | Up to 60                | 180  | 175                                       | 10                     |
| 904100       | Quadra 4100    | Up to 100               | 250  | 175                                       | 15                     |
| 904180       | Quadra 4180    | Up to 180               | 350  | 175                                       | 20                     |

^ XT not available with Quadra Compact and Quadra 460.



# Billi Quadra Plus

Instant boiling and chilled filtered water system plus hot and cold mixer tap. Twin Plus models include 2 separate mixer taps.

FEATURES



|                | Billi. Quadra |           |
|----------------|---------------|-----------|
|                |               |           |
|                |               |           |
| Ţ              |               |           |
| Depth<br>465mm |               |           |
| 465mm \        |               |           |
| 1              |               |           |
|                | <b>★</b> 3    | 315mm ——— |

UNDERBENCH UNIT

| Product Code | Model               | 50° hot water<br>capacity litres<br>(initial drawdown) | 50° hot water<br>delivery litres<br>per hour | Boiling water<br>delivery<br>(cups per hour)* | Chilled water<br>delivery<br>(cups per hour) | Power<br>supply<br>(amps) |
|--------------|---------------------|--|--|---|--|---------------------------|
| 904025       | Quadra Plus 5       | 7  | 40   | 120   | 175  | 10                        |
| 904065       | Quadra Plus 9       | 9  | 60   | 180   | 175  | 10                        |
| 904105       | Quadra Plus 15      | 15   | 85   | 250   | 175  | 15                        |
| 904107       | Quadra Twin Plus 15 | 15   | 85   | 250   | 175  | 15                        |
| 904187       | Quadra Twin Plus 21 | 21   | 100  | 350   | 175  | 20                        |

\* Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170ml. Usage patterns and draw-off methods can impact recovery.

UNDERBENCH UNIT

|                             | Billi Oudra |        | Î       |
|-----------------------------|-------------|--------|---------|
|                             |             | Billi  |         |
|                             |             |        | <br>    |
| Depth<br>465mm<br>(Quadra)  |             |        | 340mm - |
| Depth<br>365mm<br>(Compact) |             |        |         |
|                             | ₩ 3         | 15mm — | ≯       |



# Billi Quadra Sparkling

Instant boiling, chilled and sparkling filtered water system.


| FEATURES<br>SPACE SAVING<br>DESIGN SAFE TO<br>OPERATE | ENERGY<br>EFFICIENT ICE BANK<br>TECHNOLOGY | Depth<br>460mm             |   | nm \ 🔊   | →105mm⊢                   |
|---|--|----------------------------|---|--|---------------------------|
|   |  |                            |   |  |                           |
| Product Code  | Model                                      | Suggested<br>no. of people | Boiling water<br>delivery<br>(cups per hour)* | Chilled & Sparkling<br>water delivery<br>(cups per hour) | Power<br>supply<br>(amps) |
| 906100  | Quadra Sparkling 4100                      | 100                        | Up to 220                                     | 200  | 1 x 10<br>1 x 15          |




# Billi Quadra Sparkling Plus

Instant boiling, chilled and sparkling filtered water system plus separate hot and cold mixer tap.

FEATURES



#### UNDERBENCH UNITS



#### UNDERBENCH UNITS



| )° hot water<br>elivery litres<br>per hour | Boiling water<br>delivery<br>(cups per hour)* | Chilled & Sparkling<br>water delivery<br>(cups per hour) | Power<br>supply<br>(amps) |
|--|---|--|---------------------------|
| 85   | Up to 220                                     | 200  | 1 x 10<br>1 x 15          |



## Billi OmniOne

The Billi OmniOne is the latest iteration of multifunction filtered drinking water appliances.

FEATURES

|                    |                     |                        |                                  | Ø                              | $\bigcirc$                    |                     | ۲                                |  |
|--------------------|---------------------|------------------------|----------------------------------|--------------------------------|-------------------------------|---------------------|----------------------------------|--|
| SAFE TO<br>OPERATE | ENERGY<br>EFFICIENT | SPACE SAVING<br>DESIGN | ADJUSTABLE<br>SPARKLING<br>LEVEL | HEAT<br>EXCHANGE<br>TECHNOLOGY | WATER<br>COOLED<br>TECHNOLOGY | HACCP<br>CERTIFIED^ | AUSTRALIAN<br>DESIGNED<br>& MADE |  |



DISPENSER OPTION

XL

| Product Code | Model         | Dispenser/<br>Mixer Tap | Suggested<br>no. of people | Boiling water<br>delivery<br>(cups per hour)* | Chilled & Sparkling<br>water delivery<br>(cups per hour) | Power<br>supply<br>(amps) |
|--------------|---------------|-------------------------|----------------------------|---|--|---------------------------|
| 926060L      | OmniOne Pro60 | XL                      | Up to 60                   | 180   | 200  | 1 x 10                    |



# Billi OmniOne Plus

The Billi OmniOne Plus 9 is the latest iteration of multifunction filtered drinking water appliances.



S

G

## DISPENSER OPTION

MIXER TAP OPTIONS

(P)



#### Product Code Model Dispenser/ Suggested Boiling water Chilled & Sparkling Power Mixer Tap no. of people delivery (cups per hour)\* water delivery (cups per hour) supply (amps) 1 x 10 926065LP OmniOnePlus 9 XL + Paddle Mixer Tap Up to 60 180 220 926065LG 180 220 1 x 10 OmniOnePlus 9 XL + Round Mixer Tap Up to 60 926065LS OmniOnePlus 9 XL + Square Mixer Tap Up to 60 180 220 1 x 10



# Billi Sahara

Instant boiling and still filtered water systems

FEATURES

| $\boldsymbol{\times}$                  |                        |                    |                     | ٢                      |
|--|------------------------|--------------------|---------------------|------------------------|
| NO CUPBOARD<br>VENTILATION<br>REQUIRED | SPACE SAVING<br>DESIGN | SAFE TO<br>OPERATE | ENERGY<br>EFFICIENT | SPLASHFREE<br>DELIVERY |

DISPENSER OPTIONS

| (AL) (AT) (AR) (3D) |             |                         |  |  |  |  |
|---------------------|-------------|-------------------------|--|--|--|--|
| Product Code        | Model       | Suggested no. of people |  |  |  |  |
| 943010              | Sahara 310  | Up to 10                |  |  |  |  |
| 943020              | Sahara 320  | Up to 25                |  |  |  |  |
| 943060              | Sahara 360  | Up to 60                |  |  |  |  |
| 943120              | Sahara 3120 | Up to 120               |  |  |  |  |



# Billi Sahara Plus

Instant boiling and still filtered water system plus separate hot and cold mixer tap.

| FEATURES<br>NO CUPBOARD<br>NO CUPBOARD<br>NO CUPBOARD<br>NO CUPBOARD<br>SPACE SAVING<br>DISPENSER OPTIONS<br>CLIPPENSER OPTIONS<br>CLIPPENSER OPTIONS<br>CLIPPENSER OPTIONS<br>CLIPPENSER OPTIONS<br>CLIPPENSER OPTIONS<br>CLIPPENSER OPTIONS | OPERATE EFFICIENT D | OPTIONS<br>S G                |  |   | Omm ↓<br>I← 180mr                          | n →                       |
|---|---------------------|-------------------------------|--|---|--|---------------------------|
| Product Code  | Model               | 50° hot water capacity litres | 50° hot water<br>delivery litres<br>per hour | Boiling water<br>delivery<br>(cups per hour)* | Still water<br>delivery<br>(cups per hour) | Power<br>supply<br>(amps) |
| 943025  | Sahara Plus 320     | 7                             | 25   | Up to 120                                     | Unlimited                                  | 10                        |
| 943065  | Sahara Plus 360     | 9                             | 40   | Up to 165                                     | Unlimited                                  | 10                        |
| 943125  | Sahara Plus 3120    | 15                            | 65   | Up to 220                                     | Unlimited                                  | 15                        |

A reserve of boiling water is still available after hot water is fully drawn.

\* Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170ml. Usage patterns and draw-off methods can impact recovery.

(XL)

#### UNDERBENCH UNIT



| Boiling water delivery<br>(cups per hour)* | Still water delivery<br>(cups per hour) | Power supply<br>(amps) |
|--|---|------------------------|
| Up to 90                                   | Unlimited                               | 10                     |
| Up to 120                                  | Unlimited                               | 10                     |
| Up to 165                                  | Unlimited                               | 10                     |
| Up to 220                                  | Unlimited                               | 15                     |

#### UNDERBENCH UNIT





# **Billi Alpine**

Chilled and still filtered water systems


#### FEATURES



#### DISPENSER OPTIONS

Alpine 060/120: (R) (S) (E) Alpine 125: (XL) (XT) (XR)

| Product Code | Model      | Product<br>feature | Suggested no. of people | Chilled delivery<br>(cups per hour) | Power supply<br>(amps) |
|--------------|------------|--------------------|-------------------------|-------------------------------------|------------------------|
| 932060       | Alpine 060 | Chilled            | 12                      | 60                                  | 10                     |
| 932120       | Alpine 120 | Chilled            | 25                      | 120                                 | 10                     |
| 932125       | Alpine 125 | Chilled & Still    | 40                      | 120                                 | 10                     |





| Product Code | Model                | Suggested<br>no. of people | Chilled & Sparkling delivery<br>(cups per hour) | Power supply<br>(amps) |
|--------------|----------------------|----------------------------|---|------------------------|
| 933100       | Alpine Sparkling 100 | 40                         | 100   | 10                     |
| 933200       | Alpine Sparkling 200 | 80                         | 200   | 10                     |

UNDERBENCH UNIT

Billi





# Billi Filter Tap

Instant still filtered water system

| instant stitt intered water system     |
|--|
| FEATURES                               |
| NO CUPBOARD<br>VENTILATION<br>REQUIRED |
| DISPENSER OPTIONS                      |
|  |

| Product Code | Model      |
|--------------|------------|
| 932210       | Filter Tap |



#### UNDERBENCH UNIT



#### Still water cups per hour

Unlimited

# X SERIES DISPENSERS

|     | XL Levered Dispenser (xL)<br>The levered dispenser is streamlined and elegant.<br>It is simply operated with position-sensitive levers. |           |                  |             |             | 217mm<br>12.5 |
|-----|---|-----------|------------------|-------------|-------------|---------------|
| 111 | Add 'L' and finish  | ·         | duct code (90100 | OLCH)       |             |               |
|     | СН  |           | BR               |             | МВ          |               |
|     | Chrome  |           | Brushed          |             | Matte Black |               |
|     | SPECIAL ORDER   | FINISHES  |                  |             |             |               |
|     | RG  | PL        |                  | BRG         |             | UB            |
|     | Rose Gold   | Plat      | inum             | Brushed Ros | e Gold      | Urban Brass   |
|     |   |           |                  |             |             |               |
|     | XT Touch I  | Dispen    | ser 🕅            |             |             | 172m          |
| nu  | The touch disp<br>design, which<br>sophisticated  | has a top | operating pa     | -           | у           | -             |

Add 'T' and finish code to product code (901000TCH)

#### FINISH OPTIONS



#### SPECIAL ORDER FINISHES

RG Rose Gold

Rose Go



# XR Remote Dispenser (XR)


The remote dispenser is another version of the lever free dispenser, however the operation panel is located away from the dispenser. This can be installed in your desired position to meet design requirements, particularly wheelchair access.

Add 'R' and finish code to product code (901000RCH)

#### FINISH OPTION



Chrome



140mm

MW

Matte White

GM Gun Metal Grey





## Safety Dispenser (SD)

Safety Dispenser has been specifically designed as a solution for critical care applications, such as correctional centres, mental health facilities and aged care.

Add 'V' and finish code to product code (901000VCH)

#### FINISH OPTION

CH Chrome

# Coloured XL Levered Dispenser

Special order coloured levers provide full vision safety where LED indicators cannot be seen.

Spare Parts Code: 996300 Add 'LRB' to the product code (901000LRB)


#### BRAILLE PADS

Optional braille pads can be supplied with the coloured XL levered dispenser to provide further safety for vision impaired users.



RB Chrome with Red & Blue Levers

\* Product LEDs are for image purposes only. Fully functional product operates in accordance to specification.





# WATER TREATMENT



# Billi Luxgarde<sup>™</sup> UVC Purification Device

Luxgarde™ is Billi's UVC Purification Device. Luxgarde™ has emerged as a game-changer in the realm of water purification, setting new benchmarks for hygiene standards in commercial offices, hospitals, aged care facilities, and residential premises. Luxgarde™ introduced an advanced UVC LED purification device designed to be up to 99.999% effective against pathogens. Chemical free, modular and compatible with the full range of Billi products, Luxgarde™ ensures your drinking water is coliform free and safe for you to drink.



Search: Billi Luxgarde

Contact your Billi rep or **EXPLORE MORE** Q



B

## **SLIMLINE DISPENSERS** Dual Lever Dispenser (D) Round in design with dual levers. Suitable for chilled and sparkling water. Add 'D' and finish code to product code (933100DCH) FINISH OPTIONS BR СН Chrome Brushed Round Slimline Dispenser R Round in design with single pin lever option. Suitable for ambient or chilled water. Add 'R' and finish code to product code (932060RCH) FINISH OPTIONS MB СН BR Chrome Brushed Matte Black SPECIAL ORDER FINISHES RG Rose Gold Platinum Square Slimline Dispenser s Square in design with single paddle lever option. Suitable for ambient or chilled water.



p.29

| dd 'S' and finish code to product code (932060SCH) |         |          |  |  |  |
|--|---------|----------|--|--|--|
| FINISH OPTIONS                                     |         |          |  |  |  |
| СН   | BR      | MB       |  |  |  |
| Chrome   | Brushed | Matte Bl |  |  |  |

| SPECIAL ORDER FINISHES |          |    |  |  |  |
|------------------------|----------|----|--|--|--|
| RG                     | PL       | E  |  |  |  |
| Dece Cold              | Distinum | Rr |  |  |  |

## Slimline Dispenser Accessory



## Square Slimline Spout Extension


Extended spout allows bottles and jugs to be filled when the tap is installed on a font.

Add 'E' and finish code to product code (932060ECH)

#### FINISH OPTIONS

| СН     | BR      |
|--------|---------|
| Chrome | Brushed |






29

hole size 22mm



Matte Black





| p.32 ACC | ESSORIES   |                          |                   |                   |  |  | Tubing Extension Kit for X  |
|----------|--|--------------------------|-------------------|-------------------|--|--|---|
|          | Font with 70<br>Suitable for: (X<br>Product Code: 992800                                 | $\sim \sim \sim$         |                   | 70mm<br>↓         | 290mm 190mm  |  | Suitable for: XL XT XR<br>Product Code: 990720<br>1mtr version also available, Product Code: 9907   |
|          | FINISH OPTIONS<br>CH<br>Chrome   | <b>BR</b><br>Brushed     | MB<br>Matte Black | MW<br>Matte White | Special order finishes<br>are available.<br>Special orders only.                   |  | Tubing Extension Kit for Pl<br>Suitable for: P G S<br>Product Code: 990714  |
|          | Font with 120<br>Suitable for: X<br>Product Code: 992803                                 | L XT XR                  |                   | 120mm<br>↓        | 290mm 190mm<br>Special order finishes  |  | Tubing Extension Kit for Sl<br>Suitable for: R S E<br>Product code: 990724  |
|          |  | BR<br>Brushed            | MB<br>Matte Black | MW<br>Matte White | are available.<br>Special orders only.   |  | Tubing Extension Kit for Sp<br>Suitable for: XL<br>Product code: 990726   |
|          | Product Code: 992810 FINISH OPTIONS CH Chrome  | <b>BR</b><br>Brushed     | MB<br>Matte Black | MW<br>Matte White | 290mm 190mm  |  | Tubing Extension Kit for Sl<br>Suitable for: D<br>Product code: 990727  |
|          | 70mm Riser<br>Suitable for: (X<br>Product Code: 992820<br>FINISH OPTIONS<br>CH<br>Chrome | L XT XR<br>BR<br>Brushed | MB<br>Matte Black | MW<br>Matte White | 70mm<br>40mm ø<br>Special order finishes<br>are available.<br>Special orders only. | BILL<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market<br>Market | CO <sub>2</sub> Cylinder<br>Suitable for: All Billi Underbench Spa<br>Product Codes: 996911 - Single (1.1kg)<br>996912 - 2 Pack (2 x 1.1kg) |
|          | 120mm Riser  |                          |                   |                   |  | SUSTAINA   | BLE CO2   |
|          | Product Code: 992830   |                          |                   |                   | Ţ  | Refillable CO <sub>2</sub> C <sub>3</sub>  | linder Now Available  |

40mm ø

Special order finishes

Special orders only.

are available.

1800 812 321 or billicare@billi.com.au

32

FINISH OPTIONS

СН

Chrome

BR

Brushed

MB

Matte Black

MW

Matte White

# X series dual temp dispensers - 2mtrs

90712

Plus units - 1.8mtrs

Slimline Tap - 2mtrs

Sparkling units - 2mtrs

Slimline Sparkling units - 2mtrs

Sparkling Units



To see if refillable CO<sub>2</sub> is available in your area or to arrange a refillable CO<sub>2</sub> plan please contact Billi on

# ON WALL UNIT



# Billi Ultra

The Billi Ultra is a cost effective source of instant boiling water at the touch of a lever.

This wall mounted unit is ideal for commercial environments.



\* Ultra 300 unit dimensions shown

| Product Code | Model      | Initial delivery<br>capacity cups | Boiling water delivery<br>(cups per hour) | Heating<br>Element (kW) |
|--------------|------------|-----------------------------------|---|-------------------------|
| 910030       | Ultra 300  | 20                                | 170                                       | 2.4                     |
| 910060       | Ultra 600  | 38                                | 188                                       | 2.4                     |
| 910080       | Ultra 800  | 50                                | 200                                       | 2.4                     |
| 910160       | Ultra 1600 | 100                               | 250                                       | 2.4                     |
| 910250       | Ultra 2500 | 160                               | 310                                       | 2.4                     |



CHILLED

# RM 33 Bubbler

Delivering up to 30 litres of chilled water per hour, the RM Bubbler satisfies the hydration needs of demanding public & community environments such as schools, fitness centres & stadiums, factories & workshops more. Made from tough, durable materials, this bubbler is perfectly suited to outdoor areas and locations that are usually exposed to harsh weather and rough-use conditions.

#### FEATURES

• IP 33 Rating

- Capacity suitable for high volume areas
- 100% rust proof and UV stabilised cabinet to prevent material degradation
- $\boldsymbol{\cdot}$  Includes standard drinking spout and convenient bottle filler

Impact resistant construction

 $\boldsymbol{\cdot}$  Strong built and dependable, ideal for outside environments

 $\cdot$  Granite style finish



| Product Code | Model         | Capacity | Chilled water<br>delivery glasses<br>per hour | Power supply<br>(amps) |
|--------------|---------------|----------|---|------------------------|
| 988016       | RM 33 Bubbler | 30L/hour | 175*  | 10                     |

#### Water temperature at 5°C.

\*Based on the initial number of glasses of chilled water immediately available, drawn one cup every 10 seconds.




# <sup>p.36</sup> TOUCHLESS WASHROOM SYSTEMS




## Hands Free Sensor Taps


Billi's sensor tap range has a unique electronic sensor built into the spout which automatically detects hand movement in the hand washing zone and shuts off as soon as you move your hands away, reducing water wastage. Available in wall or bench mount options.















| Product Code                          | Model                  | WELS rating | Flow rate       |
|---------------------------------------|------------------------|-------------|-----------------|
| 961000                                | Bench Mount Sensor Tap | 6 Star      | 4 litres / min. |
| 961100                                | Wall Mount Sensor Tap  | 6 Star      | 4 litres / min. |
| 961300 Straight Wall Mount Sensor Tap |                        | 6 Star      | 4 litres / min. |






# <sup>p.38</sup> TECHNICAL DRAWINGS


#### Underbench Units




Dispensers




XR REMOTE DISPENSER





SAFETY DISPENSER



#### Slimline Dispensers

#### DUAL LEVER DISPENSER

ROUND SLIMLINE DISPENSER










SQUARE SLIMLINE DISPENSER





Mixer Taps














Depth 410mm

# WARRANTY & CERTIFICATIONS

Quality ISO 9001





\*On Quadra and Quadra Plus models only.





#### Standard Warranty

All components of the drinking water systems are covered by a 24-month warranty. OmniOne products are covered under 36 month warranty. The washroom range is covered by a 12 month warranty.

#### Commitment to Quality

A strong commitment to quality is as important to Billi as style, function and innovation. Recognising the importance of reliability to customers, all Billi water systems are manufactured to strict quality standards.

Every system is designed to provide the highest possible standards of efficiency and energy savings.

#### Certifications

Every Billi drinking water appliance is manufactured under a certified quality control system. They have been tested and comply with all relevant standards.

Billi Eco, Eco Sparkling, Quadra, Quadra Sparkling, Quadra Plus, Quadra Sparkling Plus, Billi Sahara and Sahara Plus systems are tested to and comply with; Watermark license number WM-21525, AS/NZS3498.

Billi **Alpine** and **Filter Tap** systems are tested to and comply with; Watermark license number WM-21882, ATS 5200:105.

Billi Luxgarde™ UVC Purification device certified to: Watermark WM-032277 and WMTS103. WQA NSF55 Class B Listing.

BWT filter models 994051, 99052, 994054, 994056 & 994060 are tested to and comply with; Watermark license number WM-022902.

All Billi systems are also tested to AS/NZS 4020; AS1428 Accessibility Design Requirements. Billi is also ISO 9001 Certified Certificate Number QEC11627.

Billi Quadra and Quadra Plus products are certified Gold Level under Global GreenTag LCARate standard 4.0.

Billi's range of Filter, Mixer and Sensor taps are Watermarked and licensed under WELS T14803, T40034, T40038, T40039, T40040, T40041, T40042, T26149, T30968, T36026.

Billi systems are certified under HACCP PE-972-WAT-1-02.

Billi has been a Cornerstone Member of the International WELL Building Institute (IWBI) since 2019 and certified under the Works With Well since 2024.



\*Every effort is made to ensure all certifications listed are up to date, however this list may not be extensive or in full.



# WHY OUR CUSTOMERS LOVE THEIR BILLI

#### Regina, Vic

"The Billi hot & filtered cold tap is by far the more superior product in my experience. There are 4 reasons for this. Firstly, we love the ease with which the Filter Cartridges just slot in and click into place for replacement, couldn't be simpler. The second major advantage is the reduced and more efficient unit size that sits underneath in the cabinet below - it takes up far less room than the competitor offering. Importantly, the price point is by far lower, a real no brainer! And lastly, the unit is reliable and looks fabulous. I could not recommend the Billi tap enough. It isn't my first Billi tap, and it won't be my last"

#### Kerrin, AU

"Excellent customer service, from advice, to Sales, installation and beyond. Staff are super friendly, helpful and thoughtful. Really happy with the co-written experience and the end product. I have one happy family especially a young person with different needs. Thanks, so much for going the extra mile for us"

#### Rola, Sydney

"We absolutely love our Billi boiling and chilled water dispenser. It's so convenient to have instant hot and cold water when you need it. It's also great to have that more uncluttered look in the kitchen, now that we don't need a kettle on the benchtop. The Billi looks classy, but unobtrusive. We've very pleased with our purchase and would recommend this product highly"

#### Fotis, Melbourne

"Such a convenient and good looking appliance. There isn't a day that goes by where we don't use our Billi. Easily pour boiling, chilled or sparkling filtered water at the touch of a button. This is our 2nd one, we moved into a house that didn't have a Billi and had to put one in!"





**Billi Australia Pty Ltd** 42 Lucknow Crescent, Thomastown, Victoria 3074 Australia

P 1800 812 321 F +61 3 9469 0499 W www.billi.com.au Billi New Zealand Ltd (T/As Merquip) 58 Walls Road, Penrose, Auckland 1061 New Zealand

P 0800 636 0 636 F +64 9 636 8636 W www.merquip.co.nz



Billi<sup>®</sup> is a registered trademark of Billi Australia Pty Ltd. Luxgarde™ is a trademark of Billi Australia Pty Ltd. All rights reserved. © Copyright protected. As Billi Australia Pty Ltd has a policy of continual improvement, all details are subject to change without notice. All goods are sold subject to our published terms and conditions. 0624