



Multifunction Mixer Tap

All-in-one boiling, chilled, sparkling and domestic mains tap with touch-sensitive interface.



Boiling



Chilled



Sparkling



Ambient

Billi®




Finishes

Standard Finishes



Special Order Finishes



Key Specifications

Bench hole	35 mm
Max bench thickness:	50 mm
Overall height	442 mm
Spout projection:	264 mm
Spout height	260 mm
Base diameter	ø47.5 mm
Spout	180° swivel, fixed height
Body material	Brass
System warranty	3 years
WELS	5 Star / 4.7L/min (mixer)
Watermark (tap)	WM-021914
Lead Free	✓
Touch operation	Capacitive touch-only
Temperature display	None

Certifications & Compliance



System	Product Code
Eco	901000G
Eco Sparkling	906000G
Quadra Compact	904010G
Quadra 420	904020G
Quadra 440	904040G
Quadra 460	904060G
Quadra 4100	904100G
Quadra 4180	904180G
Quadra Sparkling 4100	906100G
OmniOne Pro 20	926020G
OmniOne Pro 60	926060G
Sahara 310	943010G
Sahara 320	943020G
Sahara 360	943060G
Sahara 3120	943120G
Alpine 125	932125G
Home BC	915000G
Home BCS	925100G
Home BA	914000G
B-5000 Sparkling	915100G




Scan the Qr code
to access our
Revit families on
bimstore

Billi Australia Pty Ltd
P 1800 812 321
W www.billi.com.au

Billi New Zealand Ltd
P 0800 636 0 636
W www.billi.co.nz

Billi

Technical Drawing



Installation Notes

Bench hole	35 mm diameter
Max bench thickness	50 mm
Tube supplied	900 mm
Min clearance below bench	150 mm
Spout swivel	180°
Water connections	2x cold stop taps (½" BSP) + 1x hot stop tap (½" BSP) for mixer - max 450 mm from underbench unit

Accessories



990726

Tubing extension kit for Sparkling unit - 2 mtrs



990720

Tubing Extension Kit for X series dual temp dispensers 2 m

Compatible Systems & Variants

MMT supports	Applicable Underbench Systems
Boiling + Chilled + Sparkling   	Quadra Sparkling 4100, OmniOne Pro20, OmniOne Pro60, Home BCS, B-5000 Sparkling, Eco Sparkling
Boiling + Chilled  	Quadra 420, Quadra 440, Quadra 460, Quadra 4100, Quadra 4180, Quadra Compact, Eco, Home BC
Boiling + Ambient  	Sahara 310, Sahara 320, Sahara 360, Sahara 3120, Home BA
Chilled + Ambient  	Alpine 125



Please scan the QR code for all support information.

Billi Australia Pty Ltd
P 1800 812 321
W www.billi.com.au

Billi New Zealand Ltd
P 0800 636 0 636
W www.billi.co.nz

Billi